





Federal

stimulants, prescription pills, medications, synthetic substances, and natural substances) in Penalty Groups 1

Group 4:  
Substances that have the lowest potential for abuse and have common medical purposes

Class B misdemeanor: Less than 28 grams; jail sentence up to 180 days and/or a fine up to \$2,000

Compounds and mixtures with small amounts of codeine

3<sup>rd</sup> degree felony: More than 28 grams but less than 200 grams; prison sentence of 2 yrs. To 10 yrs. And/or a fine up to \$10,000

Compounds and mixtures with small amounts of opium

2<sup>nd</sup> degree felony: More than 200 grams but less than 400 grams; prison sentence of 2 yrs. To 20 yrs. And/or a fine up to \$10,000

Amount more than 400 grams; prison sentence of life in prison or 5 yrs. To 99 yrs. And/or a fine up to \$50,000

place while intoxicated. This offense is punishable as a Class C misdemeanor with a fine up to \$500, 8 to 40 hours of community service, 30 to 180 days loss or denial of driver's license, and attendance at an alcohol awareness class. If the minor has a previous alcohol-related conviction, the offense is punishable with a suspension of a driver's license for one year if the minor fails to attend an alcohol awareness class. If the minor is seventeen years old or older and the violation is the third offense, the offense is punishable by a fine of \$250 up to \$2,000 and/or a jail sentence for up to 180 days and an automatic driver's license suspension

A person commits an offense if the person is an adult or minor who gives alcohol to a minor. This offense is punishable as

registration for any University courses. A suspended student must petition the Vice President for Student Services/Dean of Students for readmission. Suspension will be noted on the student's permanent record.

3. Status of Students Suspended for Disciplinary Reasons: Students under disciplinary suspension are required to disassociate themselves from the University except for appointments that have been made to conduct official university business approved in advance by the Office of the Vice President for Student Services/Dean of Students.
4. Disciplinary Probation: Conditions imposed for a definite period of time, with or without a loss of privileges. During this time, the student's behavior is monitored and critically examined. Any misconduct while on disciplinary probation may result in a more serious sanction or expulsion. Probation will be noted on the student's permanent record during the period of probation.
5. Disciplinary Warning: An official written notice of unacceptable behavior emphasizing the fact that further misconduct may result in the more serious disciplinary sanction of probation, suspension, or expulsion.
6. Disciplinary Reprimand: An official written criticism for the first violation of the Student Code of Conduct when misconduct is less serious.
7. Revocation of Admission and/or Degree: revocation of admission and/or degree may be imposed for fraud, misrepresentation, or other violations of university rules/policies in obtaining admission or a degree, or for other serious violations committed by an applicant or by a student prior to the awarding of the degree.
8. Other Sanctions: Any enforcement/sanctions needed to administer a fair standard of discipline, including but not limited to
  - a. Restitution.
  - b. Counseling referral.
  - c. Assignment of a special project.
  - d. Assignment of community service.
  - e. Restriction from membership, participation, or holding office in student organizations or other elective offices during the probationary period.
  - f. Restriction to the campus and to those activities required of all students by the University.
  - g. Restrictions from participating in university-sponsored activities, other extracurricular activities, residence hall activities, and/or athletics.
  - h. Expulsion/suspension from the residence halls or a disciplinary room change.
  - i. Revocation of the right to represent Texas Southern University in any honorary position: "Miss TSU," student delegate, etc.
  - j. Restriction from using an automobile on the campus for a designated period of time.
  - k. Restriction from voting, campaigning for another student, or attending organizational meetings during the probationary period.





retardation. In addition, research

problems. Referrals to outside resources are also given to students to address long-term substance use and detox.

Students may schedule an appointment with the





<p>Depressants include Barbiturates, Benzodiazepines, GHB-Gamma Hydroxybutyric Acid, Rohypnol</p>	<p>GHB – Gamma – Hydroxybutyric Acid Prescribed as Xyrem, it is also known as the “date rape drug.” It comes in liquid or as a white powder dissolved in water, juice, or alcohol. In liquid form, GHB is clear and colorless and slightly salty in taste.</p>	<p>GHB – Gamma – Hydroxybutyric Acid – G, Georgia Home Boy, Goop, Grievous Bodily Harm, Liquid X, Scoop, Liquid Ecstasy</p>	<p>GHB – Gamma – Hydroxybutyric Acid</p> <ul style="list-style-type: none"> <li>• Usually a liquid, mixed in a beverage</li> <li>• White powder normally dissolved in a liquid</li> </ul>	<p>GHB – Gamma – Hydroxybutyric Acid</p> <ul style="list-style-type: none"> <li>• Hallucinations</li> <li>• Euphoria, drowsiness, decreased anxiety, excited and aggressive behavior</li> <li>• Overdose symptoms: unconsciousness, seizures, slowed heart rate, greatly slowed breathing, lower body temperature, vomiting, nausea, coma, death</li> <li>• Addictive. Withdrawal symptoms: insomnia, anxiety, tremors, increased heart rate and blood pressure, psychotic thoughts</li> </ul>
<p>Depressants include Barbiturates, Benzodiazepines, GHB-Gamma Hydroxybutyric Acid, Rohypnol</p>	<p>Rohypnol – Depressant and benzodiazepine with generic name Flunitrazepam. It is not approved for medical use in the United States. Used by cocaine abusers to relieve side effects and also used as a “date rape” drug.</p>	<p>Rohypnol – Circles, Forget Me Pill, La Rocha, Lunch Money Drug, Mexican Valium, Pingus, R2, Roach 2, Ruffles, Rophies, Wolfies</p>	<p>Rohypnol</p> <ul style="list-style-type: none"> <li>• Oblong olive-green tablet, swallowed, crushed, and snorted</li> <li>• Can be dissolved in liquids When placed in a light-colored drink, will dye it blue</li> </ul>	<p>Rohypnol</p> <ul style="list-style-type: none"> <li>• Muscle relaxant, decreased anxiety</li> <li>• Drowsiness, amnesia, sleep</li> <li>• Slurred speech, loss of coordination</li> <li>• Impaired mental function, confusion Addictive</li> </ul>

Designer Drugs  
include Bath  
Salts, Flakka

Designer  
Drugs

include Bath  
Salts, Flakka  
(alpha-PVP),  
Spice/K2,  
Synthetic  
Marijuana,  
U-47700

Flakka (alpha-PVP) – is a  
dangerous drug that is similar  
to the street drug commonly  
known as bath salts. Flakka is  
typically white or pink in  
color and is found in crystal  
form.

Flakka  
(alpha-PVP) –  
Gravel

Flakka (alpha-PVP)

- The drug may be  
eaten, snorted,  
injected, or vaporized  
in e-cigarettes.

Flakka  
(alpha-PVP)

- Paranoia and  
hallucinations  
that may lead to  
P





loss, and  
insomnia

Drugs of  
Concern  
include DXM  
(Dextromethor  
phan), Kratom,  
Salvia  
Divinorum

Salvia Divinorum –  
Psychoactive plant from the  
mint family, abused for its  
hallucinogenic effect.

Salvia  
Divinorum –  
Maria Pastora,  
SallyD, Salvia

Salvia Divinorum  
• Chewing fresh leaves,  
drinking extracted  
juices, smoking or  
inhaling vapors

Salvia  
Divinorum

- Perceptions of  
bright lights,  
vivid colors and  
shapes

- Body or object  
distortions

- Uncontrollable  
laughter, fear,  
panic

- Loss of  
coordination,  
dizziness,  
slurred speech

- Hallucinations

Hallucinogens  
include ecstasy  
or MDMA (also  
known as  
Molly),

Ketamine, LSD,  
PCP  
(Phencyclidine)  
, Peyote and  
Mescaline,  
Psilocybin

Ecstasy or MDMA – Known  
as a party drug, ecstasy comes  
in pill or powder form; the  
pill has a variety of logos and  
colors.

Ecstasy or  
MDMA – Adam,  
Beans, Biscuit,  
Clarity, Disco  
Biscuit, E, Eve,  
Go, Hug Drug,  
Lover's Speed,  
MDMA, Peace,  
STP, X, XTC

Ecstasy or MDMA  
as a  
powder  
or  
gel



Hallucinogens include Ecstasy or MDMA (also known as Molly), Ketamine, LSD, PCP (Phencyclidine), Peyote and Mescaline, Psilocybin

PCP (Phencyclidine) – Synthetically produced hallucinogen

PCP (Phencyclidine)  
Angel Dust, Boat, Crystal, Embalming Fluid, Hog, Ozone, Rocket Fuel, Shermans, Supergrass, Tic Tac, Wack, Zoom

PCP (Phencyclidine)  
• Tablets, capsules are swallowed  
• In powder form, snorted  
• Leafy material sprayed or dipped in liquid and smoked

PCP (Phencyclidine)  
• Dissociative drug that induces distortion of sight and sound and produces feelings of detachment  
• Disorientation, delirium  
• Sedation, immobility, amnesia  
• Numbness,

				<ul style="list-style-type: none"> <li>• Euphoria, anxiety</li> </ul>
<p>Hallucinogens include Ecstasy or MDMA (also known as Molly), Ketamine, LSD, PCP (Phencyclidine), Peyote and Mescaline, Psilocybin</p>	<p>Psilocybin – Hallucinogenic chemical obtained from certain types of fresh and dried mushrooms. Has slender stems topped by caps with dark gills on the underside.</p>	<p>Psilocybin – Magic mushrooms, Shrooms, Mushrooms</p>	<p>Psilocybin</p> <ul style="list-style-type: none"> <li>• Ingested orally • Brewed as tea</li> <li>• Added to foods to mask bitter flavor</li> </ul>	<p>Psilocybin</p> <ul style="list-style-type: none"> <li>• Hallucinations</li> <li>• Large amounts can cause panic attacks and psychosis</li> <li>• Nausea and vomiting</li> <li>• Muscle weakness, lack of coordination</li> <li>• Overdose may result in psychosis or death</li> </ul>
<p>Inhalants</p>	<p>Inhalants – invisible, volatile substances found in common household products, e.g., felt tip markers, spray paint, air freshener, typewriter correction fluid, butane, computer cleaners, and glue. Includes more than 1,000 products that are harmful when inhaled.</p>	<p>Inhalants – Huff, Rush, Whippets, Gluey</p>	<p>Inhalants • Inhaled through nose or mouth</p> <ul style="list-style-type: none"> <li>• Huffing inhalant-soaked rag stuffed in mouth</li> <li>• Inhaling from balloon with nitrous oxide</li> <li>• Sniffing or snorting the substance from a container or dispenser</li> <li>• Inhaling fumes from substances in a bag</li> </ul>	<p>Inhalants</p> <ul style="list-style-type: none"> <li>• Slight stimulation, feeling less inhibition, loss of consciousness</li> <li>• Damages sections of brain controlling thinking, moving, and seeing</li> <li>• Slurred speech, loss of coordination, euphoria, dizziness</li> <li>• Long-term use may cause damage to nervous system and organs</li> <li>• Sudden sniffing death may occur from suffocation or asphyxiation</li> </ul>



comma, and  
possible death.

Narcotics  
(Opioids)  
include  
Fentanyl,  
Heroin,  
Hydromorphone,  
Methadone,  
Morphine,  
Opium,  
Oxycodone

Hydromorphone -

				comma, and death.
Narcotics (Opioids) include Fentanyl, Heroin, Hydromorphone, Methadone, Morphine, Opium, Oxycodone	Morphine – Non-synthetic narcotic (opioid) made from opium, prescribed as Kadian®, MSContin®, Oramorph®, MSIR®, RMS®, and Roxanol®.  Very effective for pain relief, high potential for abuse.	Morphine – Dreamer, Emsel, First Line, God's Drug, Hows, MS, Mister Blue, Morpho, Unkie	Morphine • Injected  • Oral Solutions  • Tablets, capsules, suppositories	Morphine • Euphoria and relief of pain  • Addictive  • Overdose signs: cold and clammy skin, sleepiness, lowered blood pressure and slow pulse rate, comma and possible death
Narcotics (Opioids) include Fentanyl, Heroin, Hydromorphone, Methadone, Morphine, Opium, Oxycodone	Opium – Non-synthetic narcotic extracted from the poppy plant, made into a liquid, powder, or solid. The opium poppy is a key source of many narcotics.	Opium – Aunti, Aunti Emma, Big O, Black pill, Chandu, Chinese Molasses, Dopium, Dream Gun, Fi-donie, Gee, Guma, Midnight Oil, Zero	Opium • Can be smoked or injected intravenously  • Taken in pill form  • Used in combination with other drugs, such as marijuana and/or methamphetamine	Opium • Euphoric rush, relaxation and relief of physical pain  • Slow breathing, seizures, loss of consciousness  • Addictive  • Coma or death
Narcotics (Opioids) include Fentanyl, Heroin, Hydromorphone, Methadone, Morphine, Opium, Oxycodone	Oxycodone – Semi-synthetic opioid drugs prescribed for pain such as Tylox®, Percodan®, and OxyContin®.	Oxycodone – Hillbilly Heroin, Kicker, OC, OX, Roxy, Perc, Oxy	Oxycodone • Pills and tablets chewed or swallowed  • Inhaling vapors by heating tablet on foil  • Crushed and sniffed or dissolved in water and injected	Oxycodone • Feelings of relaxation, euphoria, pain relief  • Addictive  • Chronic use of oxycodone with acetaminophen may cause severe liver damage  • Overdose may lead to coma and possible death
Steroids	Steroids – Synthetically produced versions of testosterone, the male hormone that promotes muscle growth, enhances	Steroids – Arnolds, Gear, Gym Candy, Juice, Pumpers,	Steroids • Injected intramuscularly	Steroids • Many effects depending on age, sex, the

athletic performance, and improves physical appearance.

Roids, Stackers, Weight Gainers

- Gels, creams, transdermal patches
- Tablets, sublingual tablets and capsules

type, and length of time used|



Stimulants include Amphetamines, Cocaine, Khat, Methamphetamine

Cocaine - White, crystalline powder derived from coca leaves. The cocaine base (crack) looks like small, irregularly shaped white rocks.

Cocaine - Coca, Coke, Crack, Crank, Flake, Rock, Snow, Soda Cot

Cocaine

- Snorted
- Dissolved in water and injected
- Crack cocaine is smoked
- Cocaine users usually binge on the drug until they are exhausted or run out of cocaine

Cocaine

- Smoking or injection creates an intense euphoric "rush"
- Tolerance builds quickly, easy to overdose
- Cardiac arrhythmias
- Increased blood pressure and heart rate
- Restlessness, irritability, anxiety, paranoia
- Insomnia, loss of appetite
- Stroke or

Stimulants include Amphetamines, Cocaine, Khat, Methamphetamine

Khat - A stimulant drug made from the leaves and twigs of evergreen shrubs. Active ingredients are cathine and cathinone.

Khat - Abyssinian Tea, African Salad, Catha, Chat, Kat, Miraa, Oat, Qat, Quaadka

Khat
• Chewed
• Dried Khat is used as a tea or chewable paste
• Smoked, sprinkled on food

Khat
• Manic behavior with grandiose delusions
• Chronic use can cause depression and suicide
• Hallucinations, paranoia, nightmares
• Euphoria, increased alertness and energy, hyperactivity
• Increase in blood pressure and heart rate
• Cardiac complications
• Insomnia, gastric disorders

Stimulants include Amphetamines, Cocaine, Khat, Methamphetamine

Methamphetamine - Stimulant that speeds up the body's system and comes as a pill or powder. Available in prescription as Desoxy® to treat obesity and ADHD. Crystal meth resembles glass fragments and is an illegally altered version of the prescription drug that is cooked with over-the-counter